Product name:	WD-40®BIKE Wet Lube	Page:	1/9
Supersedes date:		Revision:	2021-04-09
Product No.:		SDS-ID:	IL-EN/1.0
	FICATION OF THE SUBSTANCE/MIX		

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name:

WD-40®BIKE Wet Lube

WD-40® Specialist® Bike Wet Lube

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: Lubricant.

1.3. Details of the supplier of the safety data sheet

<u>Manufacturer:</u>	WD-40 Company Limited PO Box 440 MK11 3LF Milton Keynes United Kingdom www.wd40.co.uk
Supplier/Distributor:	Hashahal, Inc. HaRav Shalom Jarufi St 4 Rishon LeTsiyon Tel:03-7612700

### 1.4. Emergency telephone number

Emergency telephone:	Israel Poison Information Center: 04-7771900 (24/7)
----------------------	---

# SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture			
<u>SI 2302 (1):</u>	The product is not classified.		
2.2. Label elements			
	The substance/mixture does not meet the criteria for classification, but the following labelling must be applied:		
	Contains Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts. May produce an allergic reaction. Safety data sheet available on request.		
2.3. Other hazards			
<u>PBT/vPvB:</u>	This product does not contain any PBT or vPvB substances.		
Other:			

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2. Mixtures

The product contains: mineral oil, additives and fragrances.

Product name:	WD-40®BIKE Wet Lube	Page:	2/9
Supersedes date:		Revision:	2021-04-09
Product No.:		SDS-ID:	IL-EN/1.0

SI 2302 (1):

<u>%:</u>	CAS-No.:	EC No.:	Chemical name:	Hazard classification:	Notes:
1 - < 10	-	927-676-8	Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Asp. Tox. 1;H304	
1 - < 10	-	939-603-7	Benzenesulfonic acid, di-C10-14- alkyl derivs., calcium salts	Skin Sens. 1B;H317	

Reference:

The full text for all hazard statements is displayed in section 16.

### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

Inhalation:	Move injured person into fresh air and keep person calm under observation. If uncomfortable: Seek hospital and bring along these instructions.	
<u>Skin contact:</u>	Remove contaminated clothes and rinse skin thoroughly with water. Do not use solvent or thinners. In case of eczema or other skin disorders: Seek medical attention and bring these instructions.	
<u>Eye contact:</u>	Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions.	
Ingestion:	Immediately rinse mouth and drink 1-2 glasses of water. Keep person under observation. If uncomfortable: Transportation to hospital. Bring along these instructions.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects:	Eye irritation.	

See section 11 for more detailed information on health effects and symptoms.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

#### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

Extinguishing media: Use fire-extinguishing media appropriate for surrounding materials. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards: In case of fire, toxic gases may be formed.

### 5.3. Advice for firefighters

Do not allow run-off from fire fighting to enter streams, drains or water installations.

# Protective equipment for fire-<br/>fighters:Wear a self contained breathing apparatus in fire conditions. Selection of<br/>respiratory protection for fire fighting: follow the general fire precautions indicated<br/>in the workplace.

Product name:	WD-40®BIKE Wet Lube	Page:	3/9
Supersedes date:		Revision:	2021-04-09
Product No.:		SDS-ID:	IL-EN/1.0

# SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures			
Personal precautions:	Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes.		
6.2. Environmental precaution	<u>15</u>		
Environmental precautions:	Avoid discharge into drains, water courses or onto the ground.		
6.3. Methods and material for containment and cleaning up			
Methods for cleaning up:	Absorb spillage with oil-absorbing material.		
6.4. Reference to other sections			
Reference:	For personal protection, see section 8. For waste disposal, see section 13.		

# SECTION 7: HANDLING AND STORAGE

# 7.1. Precautions for safe handling

Safe handling advice:	Observe good chemical hygiene practices. Avoid contact with eyes and prolonged skin contact. Wash hands before breaks and before smoking, eating or drinking.		
Technical measures:	Do not eat, drink or smoke when using the product.		
Technical precautions:	Provide adequate ventilation.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage conditions:	Store in closed original container at room temperature. Store in a dry place.		

<u>Specific use(s):</u> No information available.

Product name:	WD-40®BIKE Wet Lube	Page:	4/9
Supersedes date:		Revision:	2021-04-09
Product No.:		SDS-ID:	IL-EN/1.0

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1. Control parameters Occupational exposure limits: CAS-No .: Exposure limits: Chemical name: <u>As:</u> Type: Notes: References: TWA ACGIH Mineral oil, excluding 5 mg/m3 A4 metal working fluids (pure, highly and severely refined), inhalable particulate matter Notes: A4: Not Classifiable as a Human Carcinogen. 8.2. Exposure controls Provide adequate ventilation and minimize the risk of inhalation of vapours and Engineering measures: oil mist. Personal protection: Personal protection equipment should be chosen according to the ANSI standards and in discussion with the supplier of the personal protective equipment. Respiratory equipment: Under normal conditions of use respiration protection should not be required. Hand protection: Risk of contact: Wear protective gloves. Suitable material: Chloroprene rubber. Nitrile. Thickness: ≥ 0,5 mm. Breakthrough time: ≥ 480 min. Be aware that the liquid may penetrate the gloves. Frequent change is advisable. Other types of gloves can be recommended by the glove supplier. Eye protection: Risk of contact: Wear goggles/face shield. Skin protection: Use long-sleeved working clothes. Hygiene measures: Wash hands after handling. Do not eat, drink or smoke when using the product. Change contaminated clothing. Wash contaminated clothing before reuse. Environmental Exposure Not available. Controls:

Product name:	WD-40®BIKE Wet Lube	Page:	5/9
Supersedes date:		Revision:	2021-04-09
Product No.:		SDS-ID:	IL-EN/1.0

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties Form: Liquid. Colour: Colourless. Light yellow. Odour: Characteristic. Not available. <u>pH:</u> Melting point / freezing point: Not available. Boiling point: Not available. Flash point: Not available. Lower: 1 vol-% (Main components) **Explosion limits:** Upper: 10 vol-% (Main components) Vapour pressure: Not available. Vapour density: Not available. Relative density: Not determined. Insoluble in water. Solubility: Partition coefficient Not available. (n-octanol/water): Not available. **Decomposition** temperature (°C): Explosive properties: The product is not explosive. Oxidising properties: None. 9.2. Other information Other data: Not available.

## SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity	
Reactivity:	Not reactive.
10.2. Chemical stability	
<u>Stability:</u>	Stable under the prescribed storage conditions.
10.3. Possibility of hazardous i	reactions
Hazardous reactions:	None known.
10.4. Conditions to avoid	
Conditions to avoid:	None known.
10.5. Incompatible materials	
Incompatible materials:	Strong oxidizing agents.
10.6. Hazardous decompositio	n products
Hazardous decomposition products:	None in particular.

Product name:	WD-40®BIKE Wet Lube	Page:	6/9
Supersedes date:		Revision:	2021-04-09
Product No.:		SDS-ID:	IL-EN/1.0

# SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

Acute Toxicity (Oral):	Based on available data, the classification criteria are not met.
<u>Addic Toxicity (Ordi).</u>	based on available data, the classification entend are not met.
<u>Acute Toxicity (Dermal):</u>	Based on available data, the classification criteria are not met.
Acute Toxicity (Inhalation):	Based on available data, the classification criteria are not met.
Skin Corrosion/Irritation:	Based on available data, the classification criteria are not met.
Serious eye damage/irritation:	Based on available data, the classification criteria are not met.
<u>Respiratory or skin</u> sensitisation:	Based on available data, the classification criteria are not met.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
Carcinogenicity:	Based on available data, the classification criteria are not met.
Reproductive Toxicity:	Based on available data, the classification criteria are not met.
STOT - Single exposure:	Based on available data, the classification criteria are not met.
STOT - Repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.
Skin contact:	Prolonged contact may cause redness, irritation and dry skin.
Eye contact:	Splashes may irritate.

Product name:	WD-40®BIKE Wet Lube	Page:	7/9
Supersedes date:		Revision:	2021-04-09
Product No.:		SDS-ID:	IL-EN/1.0

# SECTION 12: ECOLOGICAL INFORMATION

<u>12.1. Toxicity</u>		
Ecotoxicity:	Not classified as dangerous to the environment. However, the product should not be allowed to enter drains or water courses or be deposited where it can affect ground or surface waters.	
12.2. Persistence and degra	dability	
Degradability:	The degradability of the product has not been stated.	
12.3. Bioaccumulative potential		
Bioaccumulative potential:	No data available on bioaccumulation.	
12.4. Mobility in soil		
<u>Mobility:</u>	No data available.	
12.5. Results of PBT and vP	vB assessment	
<u>PBT/vPvB:</u>	This product does not contain any PBT or vPvB substances.	

# 12.6. Other adverse effects

<u>Other adverse effects:</u> An oil film may cause physical damage to organisms and disturb the transportation of oxygen in the intermediate zone between air/water or water/air.

# SECTION 13: DISPOSAL CONSIDERATIONS

# 13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

Product name:	WD-40®BIKE Wet Lube	Page:	8/9
Supersedes date:		Revision:	2021-04-09
Product No.:		SDS-ID:	IL-EN/1.0

# SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

# 14.1. UN number

UN-No:

#### 14.2. UN proper shipping name

Proper Shipping Name:

### 14.3. Transport hazard class(es)

Class:

# 14.4. Packing group

<u>PG:</u>

# 14.5. Environmental hazards

Marine pollutant:

# Environmentally Hazardous

Substance:

# 14.6. Special precautions for user

Special precautions:

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk:

# **SECTION 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation:	<ul> <li>SI 2302 part 1 - Dangerous substances and mixtures: Classification, labelling, marking and packaging, with amendments.</li> <li>Work Safety Regulations (Safety Data Sheets, Classification, Packing, Labeling and Marking of Packages), 5758-1998, with amendments.</li> <li>Safety at Work Regulations (Environmental and Biological Monitoring of Workers)</li> </ul>
	with Hazards), 2011. Threshold Limit Values (2018), ACGIH, by the American Conference on Governmental Industrial Hygienists.

Product name:	WD-40®BIKE Wet Lube	Page:	9/9
Supersedes date:		Revision:	2021-04-09
Product No.:		SDS-ID:	IL-EN/1.0

# **SECTION 16: OTHER INFORMATION**

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

Abbreviations and acronyms	PBT = Persistent, Bioaccumulative and Toxic.
used in the safety data sheet:	vPvB = very Persistent and very Bioaccumulative.

Wording of H-statements:

H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.